



Quality Manufacturing...

in Carol Stream, IL & Bettendorf, IA



EZAutomation Price Lists

Innovative Low Cost Automation Products

Made in America



You do not have to be an Asian Importer to offer competitive automation control products. Here's how EZAutomation does it:

- Vertical Integration. (Many of the internal components are from other AVG divisions so no outside mark-ups)
- Lights out Manufacturing that automates many of the manufacturing processes using the latest technology including Surface Mount machinery.
- Innovative Designs focused to reduce total cost of ownership for our customer base.
- Mass volume production to satisfy same day delivery for our customers and maintain a tight quality control procedure

PRICE LIST Please check shipping code, STK = Stock Item, 3DAY = Ships in 3 business days

Programable Logic Controllers (PLCs)

Part Number	Ship	Price
EZRack PLC		
CPU Options		
EZRPL-CPU-1UE: EZLogix CPU, 500K words ladder memory, 1 RS232/422/485 Serial Port, 1 Ethernet Port, USB (Data Logging & Programming), IloT Ready	STK	\$149
EZRPL-CPU-2UE: EZLogix CPU, 500K words ladder memory, 2 RS232/422/485 Serial Port, 1 Ethernet Port, USB (Data Logging & Programming), IloT Ready	STK	\$199
AC Powered Bases		
EZRPL-AC-03B: 3 Slot Base, Din-Rail or Panel Mount, 110-220 VAC Input, 24 VDC, 800 mA auxillary output included	STK	\$99
EZRPL-AC-05B: 5 Slot Base, Din-Rail or Panel Mount, 110-220 VAC Input, 24 VDC, 800 mA auxillary output included	STK	\$119
EZRPL-AC-07B: 7 Slot Base, Din-Rail or Panel Mount, 110-220 VAC Input, 24 VDC, 800 mA auxillary output included	STK	\$139
DC Powered Bases		
EZRPL-DC-03B: 3 Slot Base Din-Rail or Panel Mount, 24 VDC Input Power	STK	\$119
EZRPL-DC-05B: 5 Slot Base Din-Rail or Panel Mount, 24 VDC Input Power	STK	\$129
EZRPL-DC-07B: 7 Slot Base Din-Rail or Panel Mount, 24 VDC Input Power	STK	\$149

EZRack PLC I/O Modules

I/O Modules		
EZRPL-IO-16DCOP: 16 pt. DC Output Sourcing Module	STK	\$59
EZRPL-IO-16DCON: 16 pt. DC Output Sinking Module	STK	\$59
EZRPL-IO-16DCI: 16 pt. DC Input Module	STK	\$49
EZRPL-IO-4ACI4ACO: 4 pt. AC Input, 4 pt. AC Output Module	STK	\$49
EZRPL-IO-8ACI: 8 pt. 110VAC Input Module	STK	\$39
EZRPL-IO-8ACO: 8 pt. 110VAC Output Module	STK	\$49
EZRPL-IO-8RLO: 8 pt. Relay Out Module (5 Amps/pt.)	STK	\$52
EZRPL-IO-4DCOP4RLO: 4 pt. 24VDC Output (Sourcing), 4 pt. Relay Out Module (5 Amps/pt.)	STK	\$59
EZRPL-IO-8ANI4ANOV: 8 pt. Analog In/4 pt. Analog Out Module (Voltage)	STK	\$199
EZRPL-IO-8ANI4ANOC: 8 pt. Analog In/4 pt. Analog Out Module (Current)	STK	\$199
EZRPL-IO-8ANI4ANOV-16BIT: 8 pt. Analog In/4 pt. Analog Out Module (Voltage) 16-Bit	STK	\$299
EZRPL-IO-4RTD: 4-channel RTD, Temperature Input Module, input RTD type(s): Pt100, JPt100, Cu10, Cu25, 120 Ni	STK	\$189
EZRPL-IO-4THIE: 4-channel Thermocouple, Temperature Input Module, 16-bit resolution, input thermocouple type(s): J, E, K, R, S, T, B, N	STK	\$149
EZRPL-IO-HSCNT: 4pt. High Speed PLS / DC Source outputs, 4 per High Speed Channel Inputs (A, B, EN, RST)	STK	\$99
EZRPL-IO-6DI4DO-2ANI2ANOC: Discrete (6pt Input and 4pt Output) and Analog Current (2pt Input and 2pt Output) Combo	STK	\$149

EZPLC Fixed I/O

EZPLC Nano		
EZPLCN-D-16-8R: DC Powered, 16 DC Inputs, 8 Relay output (10 Amp each)	STK	\$95
EZPLCN-D-F16-8R: DC Powered, 16 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 Relay output (10 Amp each).	STK	\$99
EZPLCN-D-F16-8R-485: DC Powered, 16 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 Relay outputs (10 Amp each), Built-in RS485 serial port. Expandable to 256 I/O.	3DAY	\$125
EZPLC Micro		
EZPLCM-D-24-8-8R: DC Powered, 24 DC Inputs, 8 DC Outputs, 8 Relay outputs (10 Amp each).	STK	\$189
EZPLCM-D-F24-8-8R: DC powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC outputs, 8 Relay outputs (10 Amp each).	STK	\$199
EZPLCM-D-F24-8-8R-485: DC powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC outputs, 8 Relay outputs (10 Amp each), Built-in RS485 serial port. Expandable to 256 I/O	STK	\$225
EZPLCM-D-24-8-8R-2AI2AOC: DC Powered, 24 DC Inputs, 8 DC Outputs, 8 Relay outputs (10 Amp each), 2 Analog Inputs, 2 Analog outputs (Current).	STK	\$289
EZPLCM-D-24-8-8R-4AI4AOV: DC Powered, 24 DC Inputs, 8 DC Outputs, 8 Relay outputs (10 Amp each), 4 Analog Inputs, 4 Analog outputs (Voltage)	STK	\$289
EZPLCM-D-F24-8-8R-2AI2AOC: DC Powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC Outputs, 8 Relay outputs (10 Amp each), 2 Analog Inputs, 2 Analog outputs (Current)	STK	\$299
EZPLCM-D-F24-8-8R-4AI4AOV: DC Powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC outputs, 8 Relay outputs (10 Amp each), 4 Analog Inputs, 4 Analog Outputs (Voltage), 8 Relay outputs.	STK	\$299
EZPLCM-D-F24-8-8R-4AI4AOV-485: DC Powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC outputs, 8 Relay outputs (10 Amp each), 4 Analog Inputs, 4 Analog Outputs (Voltage), Built-in RS485 serial port. Expandable to 256 I/O	STK	\$325
EZPLCM-D-F24-8-8R-2AI2AOC-485: DC Powered, 24 DC Inputs (2 Inputs configurable to accept 20 KHz high speed signals), 8 DC Outputs, 8 Relay outputs (10 Amp each), 2 Analog Inputs, 2 Analog outputs (Current), Built-in RS485 serial port. Expandable to 256 I/O	STK	\$325

EZPLC Modular I/O

AC Powered EZPLC Snap-in I/O		
EZPLC-A-32: EZPLC Snap-in I/O base with 32 Bit 40 MHz processor, 96-120 VAC power supply, 64K words total memory, two integrated communication ports for RS232 (programming and HMI) and RS422/485 (supports ASCII In/Out), built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used).	STK	\$209
EZPLC-A-32E: EZPLC Snap-in I/O Enhanced base with built-in 10 baseT Ethernet with 32 Bit 40 MHz processor, 96-120 VAC power supply, 64K words total memory, two integrated communication ports for RS232 (Programming and HMI) and RS422/485 (supports ASCII In/Out), Built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 4 slots for EZIO modules for a total of 32 I/O Max (based on the type of EZIO modules utilized).	3DAY	\$239
EZPLC-A-48: EZPLC Snap-in I/O base with 32 Bit 40 MHz processor, 96-120 VAC power supply, 64K words total memory, two integrated communication ports for RS232 (programming and HMI) and RS422/485 (supports ASCII In/Out), built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used).	STK	\$239
EZPLC-A-48E: EZPLC Snap-in I/O base with built-in 10 baseT Ethernet with 32 Bit 40 MHz processor, 96-120 VAC power supply, 64K words total memory, two integrated communication ports for RS232 (Programming and HMI) and RS422/485 (supports ASCII In/Out), Built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used).	3DAY	\$288

Programable Logic Controllers (PLCs)

Part Number	Ship	Price
EZPLCP-D-96: EZPLC Screw-down I/O base with 32 Bit 40 MHz processor, 20-30 VDC power supply, 64K words total memory, two integrated communication ports for RS232 (programming and HMI) and RS422/485 (supports ASCII In/Out), built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used).	3DAY	\$259
EZPLCP-D-96E: EZPLC Screw-down I/O base with built-in 10 baseT Ethernet with 32 Bit 40 MHz processor, 20-30 VDC power supply, 64K words total memory, two integrated communication ports for RS232 (Programming and HMI) and RS422/485 (supports ASCII In/Out). Built-in real time clock/Calendar, 3 ms scan time for 1K instructions (typical), and 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used).	3DAY	\$359
Communication Interface Modules (EZPLC Only)		
EZ-LINK-CBL: Plug-in and removable terminal block cable. Sold separately. Pg 5-10	STK	\$25
EZ-LINK-RLY: 8 of 10 Amp Relays 1 Form C Pg 5-10	STK	\$69
EZ -LINK-EXT: 11-pin Extender Board. Pg 5-10	STK	\$29
EZPLC-DEVICENET: DeviceNet slave communication interface card for EZPLC ONLY. 5 point removable terminal block	STK	\$79
EZPLC-PROFIBUS: Profibus DP slave communication interface card for EZPLC ONLY. Standard 9-pin female D-sub connector allows baud rates up to 12MB with auto baud rate detection.	3DAY	\$129
EZPLC Manual, Programming Software, Cables, and Accessories		
EZPLC-M: Hardware User Manual For EZPLC - All Models. Note: EZPLCs are shipped WITHOUT User Manual. Sold separately	STK	\$30
EZPLC-CM: Hardware User Manual For DeviceNet, Profibus, and Ethernet Options	STK	\$25
EZPLC-EDIT: EZPLC Programming Software	STK	\$49
EZP-PGM CBL: Programming Cable	STK	\$20
EZ-PGM CBL-RPL: EZLogix PLC Micro USB Programming Cable - 6 ft.	STK	\$25
EZPLC-BAT: Replacement Battery	STK	\$20
EZPLC-TERM5: RS422/485 5-point Terminal Block	STK	\$4

EZPLC I/O Modules

Specialty Snap-in I/O Modules		
EZIO-4RTD: 4 Channel Resistance temperature detector Snap-in I/O module. No user power required.	3DAY	\$179
EZIO-PRGM: Program storage Snap-in module. No user power required.	3DAY	\$49
EZIO-PWM-P: 2 Channel Pulse module "P" type or Sourcing output Snap-in I/O. No user power required.	3DAY	\$179
EZIO-PWM-D: 2 Channel Pulse module "D" Differential Snap-in I/O. No user power required.	3DAY	\$179
EZIO-PWM-N: 2 Channel Pulse module "N" Sinking Snap-in I/O. No user power required.	3DAY	\$179
EZIO-HSCM1: High Speed 24-Bit Counter Snap-in I/O module with support for 2 high speed quadrature encoders up to 60 KHz. 2 High speed outputs per encoder input.	3DAY	\$99
EZIO-HSCM2: High Speed 24-Bit Counter Snap-in I/O module with support for 1 high speed quadrature encoder up to 100 KHz. Inhibit Input, Reset Input, Pre-Set Input, and 4 High Speed Outputs.	3DAY	\$99
Specialty Screw-down I/O Modules		
EZIO-4RTD: 4 Channel Resistance temperature detector Snap-in I/O module. No user power required.	3DAY	\$179
EZIO-PRGM: Program storage Snap-in module. No user power required.	3DAY	\$59
EZIO-PWM-P: 2 Channel Pulse module "P" type or Sourcing output Screw-down I/O. No user power required.	3DAY	\$179
EZIO-PWM-D: 2 Channel Pulse module "D" Differential Screw-down I/O. No user power required.	3DAY	\$179
EZIO-PWM-N: 2 Channel Pulse module "N" Sinking Snap-in I/O. No user power required.	3DAY	\$179
EZIO-HSCM1: High Speed 24-Bit Counter Screw-down I/O module with support for 2 high speed quadrature encoders up to 60 KHz. 2 High speed outputs per encoder input.	3DAY	\$99
EZIO-HSCM2: High Speed 24-Bit Counter Screw-down I/O module with support for 1 high speed quadrature encoder up to 100 KHz. Inhibit Input, Reset Input, Pre-Set Input, and 4 High Speed Outputs.	3DAY	\$99
DC Snap-in I/O Modules		
EZIO-8DCI: 8 point 10-28 VDC Inputs (sink/source) Snap-in I/O	STK	\$22
EZIO-8DCOP: 8 point 10-28 VDC (source) Outputs Snap-in I/O, 0.5 Amp per point, 1.0 Amp per module.	STK	\$22
EZIO-8DCON: 8 point 10-28 VDC (sink) Outputs Snap-in I/O, 0.5 Amp per point, 1.4 Amp max per module.	STK	\$22
EZIO-8HSDCI: 8 point High Speed 10-28 VDC Inputs (sink/source) Snap-in I/O, OFF to ON response=0.3 ms (typ).	STK	\$27
EZIO-4DCI4DCON: 4 point 10-28 VDC (sink/source) Inputs Snap-in I/O; 4 point 10-28 VDC (sink) outputs, 0.5 Amp per point, 1.4 Amp max for 4 outputs.	STK	\$22
EZIO-4DCI4DCIF: 4 point 10-28 VDC (sink/source) Inputs Snap-in I/O, OFF to ON response=3 ms (typ); 4 point High Speed 10-28 VDC (sink/source) Inputs, OFF to ON response=0.3 ms (typ); Fast input # 8 initiates fast interrupt of 20 μ s.	STK	\$27
EZIO-4DCI4DCOP: 4 point 10-28 VDC (Sink/Source) Inputs Snap-in I/O; 4 point 10-28 VDC (source) outputs, 0.5 Amp per point, 1 Amp max for 4 DC Outputs.	STK	\$22
DC Screw-down I/O Modules		
EZIO-8DCI: 8 point 10-28 VDC Inputs (sink/source) Screw-down I/O	STK	\$29
EZIO-8DCOP: 8 point 10-28 VDC (source) Outputs Screw-down I/O, 0.5 Amp per point, 1.0 Amp per module.	STK	\$29
EZIO-8DCON: 8 point 10-28 VDC (sink) Outputs Screw-down I/O, 0.5 Amp per point, 1.4 Amp max per module.	STK	\$29
EZIO-8HSDCI: 8 point High Speed 10-28 VDC Inputs (sink/source) Screw-down I/O, OFF to ON response=0.3 ms (typ).	STK	\$34
EZIO-4DCI4DCON: 4 point 10-28 VDC (sink/source) Inputs Screw-down I/O; 4 point 10-28 VDC (sink) outputs, 0.5 Amp per point, 1.4 Amp max for 4 outputs.	STK	\$29
EZIO-4DCI4DCIF: 4 point 10-28 VDC (sink/source) Inputs Screw-down I/O, OFF to ON response=3 ms (typ); 4 point High Speed 10-28 VDC (sink/source) Inputs, OFF to ON response=0.3ms; Fast input # 8 initiates fast interrupt of 20 μ s.	STK	\$34
EZIO-4DCI4DCOP: 4 point 10-28 VDC (Sink/Source) Inputs Screw-down I/O; 4 point 10-28 VDC (source) outputs, 0.5 Amp per point, 1 Amp max for 4 DC Outputs.	STK	\$29
AC Snap-in I/O Modules		
EZIO-8ACI: 8 point 70-132 VAC Inputs Snap-in I/O.	STK	\$34
EZIO-8ACO: 8 point 70-132 VAC Outputs Snap-in I/O, 1.0 Amp per point.	STK	\$34
EZIO-4ACI4ACO: 4 point 70-132 VAC Inputs Snap-in I/O; 4 point 70-132 VAC Outputs, 1.0 Amp per point for AC Outputs.	STK	\$34
AC Screw-down I/O Modules		
EZIO-8ACI: 8 point 70-132 VAC Inputs Screw-down I/O.	STK	\$39
EZIO-8ACO: 8 point 70-132 VAC Outputs Screw-down I/O, 1.0 Amp per point.	STK	\$39
EZIO-4ACI4ACO: 4 point 70-132 VAC Inputs Screw-down I/O; 4 point 70-132 VAC Outputs, 1.0 Amp per point for AC Outputs.	STK	\$39

Programable Logic Controllers (PLCs)

Part Number	Ship	Price
AC/DC Snap-in I/O Combo Modules		
EZIO-4DCOP4ACO: 4 point 10-28VDC (source) outputs Snap-in I/O, 0.5 Amp per point, 1 Amp max for 4 DC outputs; 4 point 70-132 VAC outputs 1.0 Amp per point for AC Outputs.	STK	\$34
EZIO-4ACI4DCOP: 4 point 70-132 VAC Inputs Snap-in I/O; 4 point 10-28VDC (source) outputs, 0.5 Amp per point, 1 Amp max for 4 DC outputs.	STK	\$34
EZIO-4DCI4ACO: 4 point 10-28 VDC (sink/source) Inputs Snap-in I/O; 4 point 70-132 VAC Outputs, 1.0 Amp per point for AC Outputs.	STK	\$34
AC/DC Screw-down I/O Combo Modules		
EZIO-4DCOP4ACO: 4 point 10-28VDC (source) outputs Screw-down I/O, 0.5 Amp per point, 1 Amp max for 4 DC outputs; 4 point 70-132 VAC outputs 1.0 Amp per point for AC Outputs.	STK	\$44
EZIO-4ACI4DCOP: 4 point 70-132 VAC Inputs Screw-down I/O; 4 point 10-28VDC (source) outputs, 0.5 Amp per point, 1 Amp max for 4 DC outputs.	STK	\$44
EZIO-4DCI4ACO: 4 point 10-28 VDC (sink/source) Inputs Screw-down I/O; 4 point 70-132 VAC Outputs, 1.0 Amp per point for AC Outputs.	STK	\$44
Analog Snap-in I/O Modules		
EZIO-4THIE: 4 Channel thermocouple input Snap-in I/O module with support for J, K, S, and T type thermocouples with 0.1 degree Celcius resolution. No user power required.	3DAY	\$149
EZIO-8ANIV: 8 channel Analog Input module (Voltage) Snap-in I/O, 12 bit resolution; Range: 0-5VDC, 0-10VDC (switch selectable).	STK	\$109
EZIO-8ANIC: 8 channel Analog Input module (Current) Snap-in I/O, 12 bit resolution; Range:0-20 mA, 4-20mA (switch selectable).	STK	\$109
EZIO-4ANI4ANOV: 4 Channel Analog Inputs; 4 Channel Analog Outputs Snap-in I/O; 12-Bit resolution, 0-5VDC or 0-10VDC (switch selectable).	STK	\$109
EZIO-4ANI4ANOC: 4 Channel Analog Inputs; 4 Channel Analog Outputs Snap-in I/O; 12-Bit resolution, 0-20 mA or 4-20mA (switch selectable).	3DAY	\$109
Analog Screw-down I/O Modules		
EZIO-4THIE: 4 Channel thermocouple input Screw-down I/O module with support for J, K, S, and T type thermocouples with 0.1 degree Celcius resolution. No user power required.	3DAY	\$149
EZIO-8ANIV: 8 channel Analog Input module (Voltage) Screw-down I/O, 12 bit resolution; Range: 0-5VDC, 0-10VDC (switch selectable).	STK	\$119
EZIO-8ANIC: 8 channel Analog Input module (Current) Screw-down I/O, 12 bit resolution; Range:0-20 mA, 4-20mA (switch selectable).	STK	\$119
EZIO-4ANI4ANOV: 4 Channel Analog Inputs; 4 Channel Analog Outputs Screw-down I/O; 12-Bit resolution, 0-5VDC or 0-10VDC (switch selectable).	STK	\$119
EZIO-4ANI4ANOC: 4 Channel Analog Inputs; 4 Channel Analog Outputs Screw-down I/O; 12-Bit resolution, 0-20 mA or 4-20mA (switch selectable).	3DAY	\$119
EZIO-8ANIC: 8 channel Analog Input module (Current) Isolated Screw-down I/O, 12 bit resolution; Range:0-20 mA, 4-20mA (switch selectable).	STK	\$199
EZIO-4ANI4ANOCI: 4 Channel Analog Inputs; 4 Channel Analog Outputs (isolated analog current) Screw-down I/O; 12-Bit resolution, 0-20 mA or 4-20mA (switch selectable).	STK	\$209
EZIO-4ANI4ANОВI: 4 Channel Analog Inputs; 4 Channel Analog Outputs (isolated analog voltage) Screw-down I/O; 12-Bit resolution, 0-5VDC or 0-10VDC (switch selectable).	3DAY	\$209
Relay Snap-in I/O Modules		
EZIO-4RLO: 4 point Relay Outputs Snap-in I/O, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$39
EZIO-4ACI4RLO: 4 point 70-132 VAC Inputs Snap-in I/O; 4 point Relay Outputs, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$44
EZIO-4DCIP4RLO: 4 point 10-28 VDC (sink/source) Inputs; 4 point Relay Outputs Snap-in I/O, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$44
Relay Screw-down I/O Modules		
EZIO-4RLO: 4 point Relay Outputs Screw-down I/O, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$49
EZIO-4ACI4RLO: 4 point 70-132 VAC Inputs; 4 point Relay Outputs Screw-down I/O, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$54
EZIO-4DCIP4RLO: 4 point 10-28 VDC (sink/source) Inputs; 4 point Relay Outputs Screw-down I/O, 5-180 VDC Max or 20-132 VAC; 4 Relays with Electrostatic Field Protection, Normally open (NO) contacts, 1.0 Amp Max Carry current per output.	STK	\$54
EZIO Manual and Accessories		
EZ-LINK-CBL: Plug-in and removable terminal block cable. Sold separately.	STK	\$25
EZ-LINK-RLY: 8 of 10 Amp Relays 1 Form C	STK	\$69
EZ-LINK-EXT: 11-pin Extender Board.	STK	\$29
EZIO-M: Hardware Manual for EZIO Modules. Note: EZIO Modules are shipped without User Manual. Sold separately	STK	\$25
EZIO-DUMMY: Dummy Module for EZPLC, EZTouch I/O, and EZTextPLC Open Slots	STK	\$5
EZIO-TERM11: 11 Pin Removable 3.5mm Phoenix Terminal Block for EZIO Modules	STK	\$5
EZIO-TERM11CJC: 11 Pin Removable 3.5mm Phoenix Terminal Block for Thermocouple Module with Built-in Cold Junction Compensator	STK	\$15
EZIO-SCDRV: Pack of two 2.5mm blade screwdrivers for EZIO's Phoenix Terminal Blocks	STK	\$5

HMI/Operator Interfaces

EZTouch 12 Series Operator Interfaces

6" TFT Color		
EZ12-T6C-E: 6" TFT Color, 320 x 240 screen resolution, 2 Serial Ports, 2 USB Ports, 1 Built in Ethernet, 1 micro SD card slot. All Serial/Ethernet Drivers. Built in mounting and user level private labeling.	STK	\$695
7" TFT Color (Wide Screen)		
EZ12-T7C-E: 7" TFT Color, 800 x 480 screen resolution, 2 Serial Ports, 2 USB Ports, 1 Built in Ethernet, 1 micro SD card slot. All Serial/Ethernet Drivers. Built in mounting and user level private labeling.	STK	\$535
8" TFT Color		
EZ12-T8C-E: 8" TFT Color, 800 x 600 screen resolution, 2 Serial Ports, 2 USB Ports, 1 Built in Ethernet, 1 micro SD card slot. All Serial/Ethernet Drivers. Built in mounting and user level private labeling.s	STK	\$995
10" TFT Color		
EZ12-T10C-E: 10" TFT Color, 800 x 600 screen resolution, 2 Serial Ports, 2 USB Ports, 1 Built in Ethernet, 1 micro SD card slot. All Serial/Ethernet Drivers. Built in mounting and user level private labeling.	STK	\$1295

EZTouch 3 Series Operator Interfaces

6" TFT Color		
EZ3-T6C-E: 6" TFT Color, 320 x 240 screen resolution, 2 Serial Ports, 2 USB Ports, 1 Built in Ethernet, 1 MicroSD card slot. All Serial/Ethernet Drivers	STK	\$499
7" TFT Color (Wide Screen)		
EZ3-T7C-E: 7" TFT Color, 800 x 480 screen resolution, 2 Serial Ports, 2 USB Ports, Built in Ethernet, 1 MicroSD card slot. All Serial/Ethernet Drivers	STK	\$399
8" TFT Color		
EZ3-T8C-E: 8" TFT Color, 640 x 480 screen resolution, 2 Serial Ports, 2 USB Ports, Built in Ethernet, 1 MicroSD card slot. All Serial/Ethernet Drivers	STK	\$949
10" TFT Color		
EZ3-T10C-E: 10" TFT Color, 800 x 600 screen resolution, 2 Serial Ports, 2 USB Ports, Built in Ethernet, 1 MicroSD card slot. All Serial/Ethernet Drivers	STK	\$1199

EZTouch Plus Operator Interfaces

15" TFT Color		
EZ-T15C-ES: 15" TFT Color display, 1024x768 screen resolution, 2 Serial Ports, 4 USB Ports, 1 Built in Ethernet, 1 MicroSD card slot. All Serial/Ethernet Drivers	STK	\$1,799

EZTouch (Original Operator Interfaces)

4" TFT Color		
EZ-T4C-FS: 4" TFT Color, 2 Serial Ports, Serial Drivers Only	STK	\$299
EZ-T4C-FSE: 4" TFT Color, 2 Serial Ports, 1 Ethernet, 1 USB Port for program upload and data logging	STK	\$399
EZD-T4C-FS: 4" TFT Color with White LED Backlight (Extended 75K hrs life), 2 Serial Ports, Serial Drivers Only	STK	\$349
EZD-T4C-FSE: 4" TFT Color with White LED Backlight (Extended 75K hrs life), 2 Serial Ports, 1 Ethernet, 1 USB Port for program upload and data logging	STK	\$449
6" TFT Color		
EZ-T6C-FS: 6" TFT Color, Serial Drivers Only.	STK	\$769
EZ-T6C-FSC: 6" TFT Color, Serial Drivers and Mitsubishi CCLink Communications	3DAY	\$1,499
EZ-T6C-FSD: 6" TFT Color, Serial Drivers and DeviceNet Communications	3DAY	\$1,499
EZ-T6C-FSH: 6" TFT Color, Serial Drivers, and Allen-Bradley DH+ and Remote I/O Communications	3DAY	\$1,499
EZ-T6C-FSM: 6" TFT Color, Serial Drivers, and Modicon Modbus Plus Communications	3DAY	\$1,499
EZ-T6C-FSP: 6" TFT Color, Serial Drivers, and Siemens Industrial Profibus Network	3DAY	\$1,499
8" TFT Color		
EZ-T8C-FS: 8" TFT Color, Serial Drivers Only.	STK	\$949
EZ-T8C-FSC: 8" TFT Color, Serial Drivers and Mitsubishi CCLink Communications	3DAY	\$1,799
EZ-T8C-FSD: 8" TFT Color, Serial Drivers and DeviceNet Communications	3DAY	\$1,799
EZ-T8C-FSH: 8" TFT Color, Serial Drivers, and Allen-Bradley DH+ and Remote I/O Communications	3DAY	\$1,799
EZ-T8C-FSM: 8" TFT Color, Serial Drivers, and Modicon Modbus Plus Communications	3DAY	\$1,799
EZ-T8C-FSP: 8" TFT Color, Serial Drivers, and Siemens Industrial Profibus Network	3DAY	\$1,799
10" TFT Color		
EZ-T10C-FS: 10" TFT Color, Serial Drivers Only.	STK	\$1,499
EZ-T10C-FSC: 10" TFT Color, Serial Drivers and Mitsubishi CCLink Communications	3DAY	\$2,199
EZ-T10C-FSD: 10" TFT Color, Serial Drivers and DeviceNet Communications	3DAY	\$2,199
EZ-T10C-FSH: 10" TFT Color, Serial Drivers, and Allen-Bradley DH+ and Remote I/O Communications	3DAY	\$2,199
EZ-T10C-FSM: 10" TFT Color, Serial Drivers, and Modicon Modbus Plus Communications	3DAY	\$2,199
EZ-T10C-FSP: 10" TFT Color, Serial Drivers, and Siemens Industrial Profibus Network	3DAY	\$2,199

HMI/Operator Interfaces

Part Number

Ship

Price

EZ Windows HMI

10" TFT Color

EZW-T10C-E: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included.	STK	\$1,695
EZW-T10C-EH: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Mitsubishi CCLink Interface Comms.	STK	\$2,699
EZW-T10C-ED: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes DeviceNet Interface Comms	STK	\$3,099
EZW-T10C-EH: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Allen-Bradley DH+ and Remote I/O Comms	STK	\$2,699
EZW-T10C-EM: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Modicon Modbus Plus Comms	STK	\$2,699
EZW-T10C-EP: 10" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 800x600 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Profibus Network Comms	STK	\$3,099

15" TFT Color

EZW-T15C-E: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included.	STK	\$2,495
EZW-T15C-EC: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Mitsubishi CCLink Interface Comms.	STK	\$3,599
EZW-T15C-ED: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes DeviceNet Interface Comms	STK	\$3,999
EZW-T15C-EH: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Allen-Bradley DH+ and Remote I/O Comms	STK	\$3,599
EZW-T15C-EM: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Modicon Modbus Plus Comms	STK	\$3,599
EZW-T15C-EP: 15" Color TFT HMI, Fanless Windows 7 Embedded PC HMI, 1024x768 pixel resolution, 4GB SSD, 16.2 M Colors, LED Back-light, 4 USB Ports, Micro SD slot, 2 Serial Ports, 1 Gbps Ethernet, All Serial and Ethernet Protocols Included. Includes Profibus Network Comms	STK	\$3,999

EZ Sunlight Series Touchpanels

6" TFT Color

EZ-T6C-E-SUN: 6" TFT Color, 320 x 240 screen resolution, Sunlight Readable display with 800 Nits, 2 Serial Ports, 2 USB Ports, Built in Ethernet, 1 MicroSD card slot	STK	\$825
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	-------

10" TFT Color

EZ-T10C-E-SUN: 10.4" TFT Color, 800x600 resolution, Sunlight Readable display with 1000 Nits, 2 Serial Ports, 4 USB Ports, 1 Ethernet Port	STK	\$1,999
---------------------------------------------------------------------------------------------------------------------------------------------------	-----	---------

10" TFT Color (Windows 7 Embedded)

EZW-T10C-E-SUN: 10.4" TFT Color, 800x600 resolution, Windows 7 Embedded, Sunlight Readable display with 1000 Nits, 2 Serial Ports, 4 USB Ports, 1 Ethernet Port.	STK	\$2,499
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	---------

EZTouch (DH+ / Remote I/O)

5.7" TFT Color

EZ-T6C-FSH: 5.7" TFT Color HMI with Remote I/O & DH+ Communications. (PV550, PV600 replacement)	STK	\$1,499
EZ3-T6C-EH: 5.7" TFT Color HMI with DH+ and Ethernet I/P communications. (PV550, PV600 replacement)	STK	\$1,899

7" TFT Color

EZ3-T7C-EH: 7" Widescreen TFT Color HMI with DH+ and Ethernet I/P communications. (PV700 replacement)	STK	\$1,999
--------------------------------------------------------------------------------------------------------------	-----	---------

8" TFT Color

EZ-T8C-FSH: 8" TFT Color HMI with Remote I/O & DH+ Communications. (PV700 replacement)	STK	\$1,799
EZ3-T8C-EH: 8" TFT Color HMI with DH+ and Ethernet I/P communications. (PV700 replacement)	STK	\$2,299

10" TFT Color

EZ-T10C-FSH: 10.4" TFT Color HMI with Remote I/O & DH+ Communications. (PV1000, PV1000E replacement)	STK	\$2,199
EZ3-T10C-EH: 10.4" TFT Color HMI with DH+ and Ethernet I/P communications. (PV1000, PV1000E replacement)	STK	\$2,299

5.7" TFT Color

EZ-T15C-EH: 15" TFT Color HMI with Remote I/O, DH+ and Ethernet I/P communications. (PV1200, PV1400, PV1400E replacement)	STK	\$3,199
----------------------------------------------------------------------------------------------------------------------------------	-----	---------

HMI/Operator Interfaces

Part Number

Ship Price

EZTouch Software & Accessories

EZTouch Manual, Programming Software and Cables

EZ-PANEL-M: Hardware and Installation manual for EZTouch operator interfaces	STK	\$20
EZ-PGM-CBL: EZTouch and EZCE Touchpanel programming software cable	STK	\$20
EZ-PGM-CBL-USBB: EZ3 Touch Panel USB Programming Cable - 6 ft.	STK	\$25
EZTOUCH-EDITOR: All EZTouch and EZTouch I/O products program editing software	STK	\$99

EZTouch and EZText Panel Communication Cables

EZ-CBL: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to EZPLC. 15 pin D-shell male connector to 9 pin D-shell male connector.	STK	\$20
EZ-2CBL: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to DL05, DL06, DL105, DL205, D3-350 or D4-450 CPU. 15 pin D-shell male connector to RJ 12 modular connector.	STK	\$20
EZ-2CBL-1: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to a DL06, D2-250(-1) or D2-260 (bottom port) CPU. 15 pin D-shell male connector to 15 pin male HD.	STK	\$20
EZ-3CBL: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to a D3-340 CPU top or bottom port. 15 pin D-shell male connector to RJ11 modular connector.	STK	\$20
EZ-4CBL-1: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel panel to DL 405 (top port) CPU. 15 pin D-shell male connector to 15 pin D-shell male connector.	STK	\$20
EZ-4CBL-2: 10' RS 232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to a D2-DCM, D3-350 (bottom port), a D3-232-DCU installed on D3-333 or D3-340, or DL 405 (bottom point) CPU. 15-pin D-shell male to 25 pin D-shell male.	STK	\$20
EZ-MLOGIX-CBL: 6' shielded cable to connect any EZTouch, EZText or CE Touchpanel to an AB Micrologix 1000, 1200, or 1500 CPU. 15 pin D-shell male connector to 8 pin DIN connector.	STK	\$25
EZ-SLC-232-CBL: 10' RS232C shielded cable to connect any EZTouch & EZText to an AB SLC 5/03, 5/04 or 5/05 CPU with DF-1 port. 15 pin D-shell male connector to 9 pin D-shell female connector.	STK	\$20
EZ-PLC5-232-CBL: 10' RS232C shielded cable to connect any EZTouch, EZText or CE Touchpanel to an AB PLC5 CPU with DF1 port. 15 pin D-shell male connector to 25 pin D-shell male connector.	STK	\$20
EZ-DH485-CBL: 10' RS232C shielded cable to connect any EZTouch or CE Touchpanel to an AB SLC 500 CPU with a DH485 port and 747-A/C Module .	STK	\$22
EZ-90-30-CBL: 10' RS232C shielded cable to connect any EZTouchs & EZText to GE Fanuc Series 90/30, 90/70 serial port using SNPX protocol. 15 pin D-shell male connector to 15 pin D-shell male connector.	STK	\$20
EZ-MITSUBI-CBL: 10' RS422 shielded cable to connect any EZTouch, EZText or CE Touchpanel to Mitsubishi FX series CPU. 15 pin D-shell male connector to 25 pin D-shell male connector.	STK	\$20
EZ-MITSU-CBL-1: 10' RS422 shielded cable to connect any EZTouch, EZText or CE Touchpanel to Mitsubishi FX series CPU. 15 pin D-shell male connector to 8 pin min. din.	STK	\$20
EZ-S7MPI-CBL: 10' shielded cable to connect any EZTouch, EZText or CE Touchpanel to Siemens Simatic S7 series CPU. 15 pin D-shell male connector to 9 pin D-shell connector.	STK	\$20
EZ-OMRON-CBL: 10' RS232C shielded cable to connect any EZTouchs & EZText to Omron C200 or C500 with Hostlink protocol. 15 pin D-shell male connector to 25 pin D-shell male connector.	STK	\$20
EZ-ARCOL-CBL: 10' RS232C shielded cable to connect anyEZTouch, EZText or CE Touchpanel to Aromat PLC. 15 pin D-Shell male connector to 5 pin mini DIN male connector.	STK	\$20
EZ-CTRLUNI-CBL: 10' RS422 shielded cable to connect any EZTouch or EZ CE Touchpanel to Control Techniques Unidrive 4-wire. 15 pin D-Shell male connector to 9 pin D-shell female connector.	STK	\$20
EZ-CTRLUNI-CBL-1: 10' RS485 shielded cable to connect any EZTouch or EZ CE Touchpanel to Control Techniques Unidrive 2-wire. 15 pin D-Shell male connector to 9 pin D-shell female connector.	STK	\$20
EZ-CTRUBI-CBL: 10' RS232C shielded cable to connect any EZTouch or EZ CE Touchpanel to Control Technology Corp (CTC) PLC. 15 pin D-Shell male connector to RJ12 connector.	STK	\$20
EZ-IDECM-CBL: 10' RS485 shielded cable to connect any EZTouch or EZ CE Touchpanel to IDEC Micro 3 PLC. 15 pin D-Shell male connector to 8 pin mini-din connector.	STK	\$20
EZ-MODUNI-CBL: 10' RS485 shielded cable to connect any EZTouch or EZ CE Touchpanel to Modicon Uni-Telway Telemecanique TSX 37 Micro PLC. 15 pin D-Shell male connector to 8 pin mini DIN connector.	STK	\$20
EZ-MODRTU-CBL: 10' RS232C shielded cable to connect anyEZTouch, EZText or CE Touchpanel to Modicon Modbus RTU. 15 pin D-Shell male connector to 9 pin D-shell male connector.	STK	\$20
EZ-S7200-CBL: 10' RS485 shielded cable to connect any EZTouch or EZ CE Touchpanel to Siemens S7 200 PLC. 15 pin D-Shell male connector to 9 pin D-shell male connector.	STK	\$20
EZ-SYMAX-CBL: 10' RS422 shielded cable to connect EZTouch, or EZ CE Touchpanel to Square-D symax. 15 pin D-Shell male connector to 9 pin D-shell male connector.	STK	\$20
EZ-TX505-CBL: 10' RS232C shielded cable to connect anyEZTouchs or EZText connect to Texas Instrument 505 Series PLC. 15 pin D-Shell male connector to 9 pin D-shell female connector.	STK	\$20
EZ-IDECs-CBL: 10' RS232C shielded cable to connect anyEZTouch, EZText or CE Touchpanel to IDEC Micro Smart PLC. 15 pin D-Shell male connector to 8 pin mini DIN male connector.	STK	\$20
EZ-TX545-CBL: 10' RS422 shielded cable to connect anyEZTouch, EZText or CE Touchpanel to Texas Instrument 545-1102 series PLC. 15 pin D-Shell male connector to 9 pin D-shell male connector.	STK	\$20
EZ-TX545-CBL-1: 10' RS422 shielded cable to connect anyEZTouch, EZText or CE Touchpanel to Texas Instrument 545-1104 PLC. 15 pin D-Shell male connector to 9 pin D-shell female connector.	STK	\$20
EZ-MODRJ-CBL: 10' RS232C shielded cable to connect any EZTouch or EZ CE Touchpanel to Modicon Micro PLC. 15 pin D-Shell male connector to RJ45 connector.	STK	\$20

EZTouch Accessories

EZ-PANEL-M: Hardware and Installation manual for EZTouch operator interfaces.	STK	\$20
EZ-RAM-1: 512K RAM Card for EZTouch operator interfaces only.	STK	\$50
EZ-RAM-2: 1MB expansion RAM card for EZTouch operator interfaces only.	STK	\$97
EZ-FLASH-1: 512K flash memory card for non-volatile user-program storage for EZTouch operator interfaces only.	STK	\$46
EZ-FLASH-2: 1MB flash memory card for non-volatile user-program storage for EZTouch operator interfaces only.	STK	\$56
EZ-FLASH-3: 2MB flash memory card for non-volatile user-program storage for EZTouch operator interfaces only.	STK	\$80
EZ-BAT: Replacement 1/2 AA, 3.6 volt lithium battery for EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer	STK	\$20
EZ-BRK-1: Optional DIN rail clips. Only for 6" models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer (package of 2).	STK	\$15
EZ-COMCON3: 15-pin male D-sub connectors with terminal blocks, for connecting RS422 network cable to EZ Products	STK	\$19
EZ-PANEL6-GSK: Replacement gasket for 6-inch EZTouch operator interface (standard, NON-SLIM) bezels only.	STK	\$8
EZ-PANEL8-GSK: Replacement gasket for 8-inch EZTouch operator interface (standard, NON-SLIM) bezels only.	STK	\$8
EZ-PANEL10-GSK: Replacement gasket for 10-inch EZTouch operator interface (standard, NON-SLIM) bezels only.	STK	\$8
EZ-PANEL-STUDS: Spare mounting studs for for EZTouch panels. Comes in package of 8 with nuts.	STK	\$8
EZ-6SLIMF-GSK: Replacement gasket for Slim Bezel 6 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer.	STK	\$8
EZ-8SLIMF-GSK: Replacement gasket for Slim Bezel 8 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer.	STK	\$25
EZ-10SLIMF-GSK: Replacement gasket for Slim Bezel 10 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer.	STK	\$30
EZ-15SLIMF-GSK: Replacement gasket for Slim Bezel 15 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer.	STK	\$34
EZ-COV6: Pack of 3 protective shields for 6 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer	STK	\$25
EZ-COV7: Pack of 3 protective shields for 7 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer		
EZ-COV8: Pack of 3 protective shields for 8 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer	STK	\$34
EZ-COV10: Pack of 3 protective shields for 10 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer	STK	\$45
EZ-COV15: Pack of 3 protective shields for 15 inch models of EZTouch, EZCE Touchpanel, and EZTouchscreen CE Computer	STK	\$56

EZTouch I/O (Smart HMI with PLC I/O)

Part Number

Ship Price

EZTouch I/O Jr.

4" TFT Color with Built-in 22 I/O Option

EZ-JTPLC-0-A-0: 4" TFT Color Smart HMI with 8 DC Inputs, 6 DC Output, DC Power, 2 Serial Ports	STK	\$349
EZ-JTPLC-0-B-0: 4" TFT Color Smart HMI with 8 DC Inputs, 6 DC Output, 4 ANIV, 4ANOV, DC Power, 2 Serial Ports	STK	\$399
EZ-JTPLC-0-A-E: 4" TFT Color Smart HMI with 8 DC Inputs, 6 DC Output, DC Power, 2 Serial Ports, 1 Ethernet Port	STK	\$449
EZ-JTPLC-0-B-E: 4" TFT Color Smart HMI with 8 DC Inputs, 6 DC output, 4 ANIV, 4ANOV, DC Power, 2 Serial Ports, 1 Ethernet Port	STK	\$499

4" TFT Color with Built-in 28 I/O Option

EZ-JTPLC-0-C-0: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC Output, DC Power, 2 Serial Ports	STK	\$399
EZ-JTPLC-0-D-0: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC Output, 2 ANIV, 2ANOV (Voltage), DC Power, 2 Serial Ports	STK	\$449
EZ-JTPLC-0-E-0: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC Output, 2 ANIC, 2ANOC (Current), DC Power, 2 Serial Ports	STK	\$449
EZ-JTPLC-0-C-E: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC output, DC Power, 2 Serial Ports, 1 Ethernet Port	STK	\$499
EZ-JTPLC-0-E-E: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC Output, 2 ANIC, 2ANOC (Current), DC Power, 2 Serial Ports, 1 Ethernet Port	STK	\$549
EZ-JTPLC-0-D-E: 4" TFT Color Smart HMI with 16 DC Inputs, 8 DC Output, 2 ANIV, 2ANOV (Voltage), DC Power, 2 Serial Ports, 1 Ethernet Port	STK	\$499

EZTouch I/O Nano

6" TFT Color with Built-in 24 I/O Option

EZ3-T6C-E-16-8R: 5.7" TFT Color Smart HMI with Fixed I/O, 16 DC Inputs, 8 Relay Outputs with NO/NC contacts (10 Amp Form C Relays), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported,	STK	\$599
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	-------

EZTouch I/O Micro

6" TFT Color with Built-in 48 I/O Option

EZ3-T6C-E-24-8-8R: 5.7" TFT Color Smart HMI with Fixed I/O, 24 DC Inputs, 8 DC Outputs, 8 Relay Outputs with NO/NC contacts (10 Amp Form C Relays), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported,	STK	\$799
EZ3-T6C-E-24-8-8R-2AI2AOC: 5.7" TFT Color Smart HMI with Fixed I/O, 24 DC Inputs, 8 DC Outputs, 8 Relay Outputs with NO/NC contacts (10 Amp Form C Relays), 2 Analog In, 2 Analog Out (current) 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported.	STK	\$899
EZ3-T6C-E-24-8-8R-4AI4AOV: 5.7" TFT Color Smart HMI with Fixed I/O, 24 DC Inputs, 8 DC Outputs, 8 Relay Outputs with NO/NC contacts (10 Amp Form C Relays), 4 Analog In, 4 Analog Out (voltage), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported,	STK	\$949

EZTouch I/O Flex

6" TFT Color

EZ3-T6C-E-PLC-E: 6" TFT Color Smart HMI with Plug-in Modular I/O. 4 Modules (up to 32 Local I/O), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported	STK	\$699
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	-------

8" TFT Color

EZ3-T8C-E-PLC-E: 8" TFT Color Smart HMI with Plug-in Modular I/O. 4 Modules (up to 32 Local I/O), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported	STK	\$1099
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	--------

10" TFT Color

EZ3-T10C-E-PLC-E: 10" TFT Color Smart HMI with Plug-in Modular I/O. 4 Modules (up to 32 Local I/O), 3 Serial Ports, 1 Ethernet Port, 2 USB Port. Serial and Ethernet Drivers Supported	STK	\$1299
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	--------



EZ Remote I/O Blocks

Part Number	Ship	Price
EZRIO		
AC Powered EZRIO Snap-in I/O		
EZRIO-A-32: EZRIO Snap-in I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$139
EZRIO-A-32E: EZRIO Snap-in I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$239
EZRIO-A-48: EZRIO Snap-in I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$188
EZRIO-A-48E: EZRIO Snap-in I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$288
EZRIO-A-64: EZRIO Snap-in I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$209
EZRIO-A-64E: EZRIO Snap-in I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$309
EZRIO-A-96: EZRIO Snap-in I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	3DAY	\$239
EZRIO-A-96E: EZRIO Snap-in I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$339
AC Powered EZRIO Screw-down I/O		
EZRIOP-A-32: EZRIO Screw-down I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$159
EZRIOP-A-32E: EZRIO Screw-down I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$259
EZRIOP-A-48: EZRIO Screw-down I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$225
EZRIOP-A-48E: EZRIO Screw-down I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$325
EZRIOP-A-64: EZRIO Screw-down I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$249
EZRIOP-A-64E: EZRIO Screw-down I/O Enhanced base with built-in 10 baseT Ethernet, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (based on the type of EZIO modules utilized). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$349
EZRIOP-A-96: EZRIO Screw-down I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	3DAY	\$289
EZRIOP-A-96E: EZRIO Screw-down I/O, 96-120 VAC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	3DAY	\$389
DC Powered EZRIO Snap-in I/O		
EZRIO-D-32: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$122
EZRIO-D-32E: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$210
EZRIO-D-48: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$165
EZRIO-D-48E: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$265
EZRIO-D-64: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$187
EZRIO-D-64E: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$287
EZRIO-D-96: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	3DAY	\$190
EZRIO-D-96E: EZRIO Snap-in I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$319
DC Powered EZRIO Screw-down I/O		
EZRIOP-D-32: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$149
EZRIOP-D-32E: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 4 slots for EZIO modules for a total of 32 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$249
EZRIOP-D-48: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$199
EZRIOP-D-48E: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 6 slots for EZIO modules for a total of 48 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$299
EZRIOP-D-64: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	STK	\$225
EZRIOP-D-64E: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 8 slots for EZIO modules for a total of 64 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$325
EZRIOP-D-96: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus RTU and EZ Protocols	3DAY	\$259
EZRIOP-D-96E: EZRIO Screw-down I/O, 20-30 VDC power supply, 64K words total memory, two communication ports for RS232 and RS422/485, 12 slots for EZIO modules for a total of 96 I/O Max (maximum number of I/O points vary based on the type of EZIO modules used). Modbus TCP/IP, Ethernet IP and EZ IP Protocols	3DAY	\$359
EZRIO Manual, Communication Modules and Accessories		
EZRIO-M: Hardware User Manual For EZRIO - All Models. Note: EZRIOs are shipped WITHOUT User Manual. Sold separately	STK	\$30
EZRIO-CM: Hardware User Manual For DeviceNet, Profibus, and Ethernet Options	STK	\$25
EZRIO-TERM5: RS422/485 5-point Terminal Block	STK	\$4
EZPLC-DEVICENET: DeviceNet slave communication interface card for EZRIO ONLY. 5 point removable terminal block	STK	\$79
EZPLC-PROFIBUS: Profibus DP slave communication interface card for EZRIO ONLY. Standard 9-pin female D-sub connector allows baud rates up to 12MB with auto baud rate detection.	3DAY	\$129



EZMarquee

Part Number

Ship Price

EZ Marquee

1 Line 10 Char		
EZMR-1L10C: 1 Line 10 characters, RED LED ONLY, NEMA 12 Indoor, Serial RS232/422/485	STK	\$379
EZMR-1L10C-E: 1 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$478
EZMR-1L10C-D: 1 Line 10 characters, RED LED ONLY, NEMA 12 Indoor, Serial RS232/422/485, DeviceNet built-in	3DAY	\$478
EZMR-1L10C-P: 1 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus Built-in	3DAY	\$518
EZMRH-1L10C: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	5DAY	\$749
EZMRH-1L10C-E: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	5DAY	\$959
EZMRH-1L10C-D: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	5DAY	\$959
EZMRH-1L10C-P: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	5DAY	\$1039
EZMR-1L10C-OUT: 1 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$749
EZMR-1L10C-E-OUT: 1 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$959
EZMR-1L10C-D-OUT: 1 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$959
EZMR-1L10C-P-OUT: 1 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus Built-in	7DAY	\$1039
EZMRH-1L10C-OUT: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1139
EZMRH-1L10C-E-OUT: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1439
EZMRH-1L10C-D-OUT: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1439
EZMRH-1L10C-P-OUT: 1 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$1559
EZMT-1L10C: 1 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$489
EZMT-1L10C-E: 1 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$588
EZMT-1L10C-D: 1 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485 DeviceNet built-in	3DAY	\$588
EZMT-1L10C-P: 1 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$628
EZMT-1L10C-OUT: 1 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$978
EZMT-1L10C-E-OUT: 1 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1179
EZMT-1L10C-D-OUT: 1 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1179
EZMT-1L10C-P-OUT: 1 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$1259
2 Line 10 Char		
EZMR-2L10C: 2 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$599
EZMR-2L10C-E: 2 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$698
EZMR-2L10C-D: 2 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$698
EZMR-2L10C-P: 2 Line 10 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$728
EZMRH-2L10C: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	5DAY	\$1199
EZMRH-2L10C-E: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	5DAY	\$1399
EZMRH-2L10C-D: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	5DAY	\$1399
EZMRH-2L10C-P: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	5DAY	\$1459
EZMR-2L10C-OUT: 2 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1199
EZMR-2L10C-E-OUT: 2 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1399
EZMR-2L10C-D-OUT: 2 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1399
EZMR-2L10C-P-OUT: 2 Line 10 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$1459
EZMRH-2L10C-OUT: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1799
EZMRH-2L10C-E-OUT: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$2099
EZMRH-2L10C-D-OUT: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2099
EZMRH-2L10C-P-OUT: 2 Line 10 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2189
EZMT-2L10C: 2 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$699
EZMT-2L10C-E: 2 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$798
EZMT-2L10C-D: 2 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$798
EZMT-2L10C-P: 2 Line 10 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$828
EZMT-2L10C-OUT: 2 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1398
EZMT-2L10C-E-OUT: 2 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1599
EZMT-2L10C-D-OUT: 2 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1599
EZMT-2L10C-P-OUT: 2 Line 10 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$1659
1 Line 20 Char		
EZMR-1L20C: 1 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$549
EZMR-1L20C-E: 1 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$648
EZMR-1L20C-D: 1 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$648
EZMR-1L20C-P: 1 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$678
EZMRH-1L20C: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	5DAY	\$1099
EZMRH-1L20C-E: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	5DAY	\$1299
EZMRH-1L20C-D: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	5DAY	\$1299
EZMRH-1L20C-P: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	5DAY	\$1359
EZMR-1L20C-OUT: 1 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1099
EZMR-1L20C-E-OUT: 1 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1299

Price List



LED Message Displays

Part Number	Ship	Price
EZMR-1L20C-D-OUT: 1 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1299
EZMR-1L20C-P-OUT: 1 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus Built-in	7DAY	\$1359
EZMRH-1L20C-OUT: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1649
EZMRH-1L20C-E-OUT: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1949
EZMRH-1L20C-D-OUT: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1949
EZMRH-1L20C-P-OUT: 1 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2039
EZMT-1L20C: 1 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$649
EZMT-1L20C-E: 1 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$748
EZMT-1L20C-D: 1 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$748
EZMT-1L20C-P: 1 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$778
EZMT-1L20C-OUT: 1 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1298
EZMT-1L20C-E-OUT: 1 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1499
EZMT-1L20C-D-OUT: 1 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1499
EZMT-1L20C-P-OUT: 1 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$1559
1 Line 40 Char		
EZMR-1L40C: 1 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$879
EZMR-1L40C-E: 1 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$978
EZMR-1L40C-D: 1 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$978
EZMR-1L40C-P: 1 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1088
EZMRH-1L40C: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	7DAY	\$1759
EZMRH-1L40C-E: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1959
EZMRH-1L40C-D: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1959
EZMRH-1L40C-P: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	5DAY	\$2019
EZMR-1L40C-OUT: 1 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1759
EZMR-1L40C-E-OUT: 1 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1959
EZMR-1L40C-D-OUT: 1 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1959
EZMR-1L40C-P-OUT: 1 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2019
EZMRH-1L40C-OUT: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$2639
EZMRH-1L40C-E-OUT: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$2939
EZMRH-1L40C-D-OUT: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2939
EZMRH-1L40C-P-OUT: 1 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$3029
EZMT-1L40C: 1 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$989
EZMT-1L40C-E: 1 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1088
EZMT-1L40C-D: 1 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1088
EZMT-1L40C-P: 1 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1138
EZMT-1L40C-OUT: 1 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1978
EZMT-1L40C-E-OUT: 1 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$2179
EZMT-1L40C-D-OUT: 1 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2179
EZMT-1L40C-P-OUT: 1 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2279
2 Line 20 Char		
EZMR-2L20C: 2 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$879
EZMR-2L20C-E: 2 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$978
EZMR-2L20C-D: 2 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$978
EZMR-2L20C-P: 2 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1018
EZMRH-2L20C: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	7DAY	\$1759
EZMRH-2L20C-E: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1959
EZMRH-2L20C-D: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1959
EZMRH-2L20C-P: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$2039
EZMR-2L20C-OUT: 2 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1759
EZMR-2L20C-E-OUT: 2 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$1959
EZMR-2L20C-D-OUT: 2 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$1959
EZMR-2L20C-P-OUT: 2 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2039
EZMRH-2L20C-OUT: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$2639
EZMRH-2L20C-E-OUT: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$2939
EZMRH-2L20C-D-OUT: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2939
EZMRH-2L20C-P-OUT: 2 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$3059
EZMT-2L20C: 2 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$989
EZMT-2L20C-E: 2 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1088
EZMT-2L20C-D: 2 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1088
EZMT-2L20C-P: 2 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1128
EZMT-2L20C-OUT: 2 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$1978
EZMT-2L20C-E-OUT: 2 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$2179

LED Message Displays

Part Number	Ship	Price
EZMT-2L20C-D-OUT: 2 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2179
EZMT-2L20C-P-OUT: 2 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$2259
2 Line 40 Char		
EZMR-2L40C: 2 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$1599
EZMR-2L40C-E: 2 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1698
EZMR-2L40C-D: 2 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1698
EZMR-2L40C-P: 2 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1728
EZMRH-2L40C: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	7DAY	\$3199
EZMRH-2L40C-E: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3399
EZMRH-2L40C-D: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3399
EZMRH-2L40C-P: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$3459
EZMR-2L40C-OUT: 2 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$3199
EZMR-2L40C-E-OUT: 2 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3399
EZMR-2L40C-D-OUT: 2 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3399
EZMR-2L40C-P-OUT: 2 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$3459
EZMRH-2L40C-OUT: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$4799
EZMRH-2L40C-E-OUT: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$5099
EZMRH-2L40C-D-OUT: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$5099
EZMRH-2L40C-P-OUT: 2 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$5199
EZMT-2L40C: 2 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$1899
EZMT-2L40C-E: 2 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1998
EZMT-2L40C-D: 2 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1998
EZMT-2L40C-P: 2 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$2028
EZMT-2L40C-OUT: 2 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$3798
EZMT-2L40C-E-OUT: 2 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3999
EZMT-2L40C-D-OUT: 2 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3999
EZMT-2L40C-P-OUT: 2 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$4059
4 Line 20 Char		
EZMR-4L20C: 4 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$1599
EZMR-4L20C-E: 4 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1698
EZMR-4L20C-D: 4 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1698
EZMR-4L20C-P: 4 Line 20 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$1728
EZMRH-4L20C: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	7DAY	\$3199
EZMRH-4L20C-E: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3399
EZMRH-4L20C-D: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3399
EZMRH-4L20C-P: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$3459
EZMR-4L20C-OUT: 4 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$3199
EZMR-4L20C-E-OUT: 4 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3399
EZMR-4L20C-D-OUT: 4 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3399
EZMR-4L20C-P-OUT: 4 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$3459
EZMRH-4L20C-OUT: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$4799
EZMRH-4L20C-E-OUT: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$5099
EZMRH-4L20C-D-OUT: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$5099
EZMRH-4L20C-P-OUT: 4 Line 20 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$5189
EZMT-4L20C: 4 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$1899
EZMT-4L20C-E: 4 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$1998
EZMT-4L20C-D: 4 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	3DAY	\$1998
EZMT-4L20C-P: 4 Line 20 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	3DAY	\$2028
EZMT-4L20C-OUT: 4 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$3798
EZMT-4L20C-E-OUT: 4 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$3999
EZMT-4L20C-D-OUT: 4 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3999
EZMT-4L20C-P-OUT: 4 Line 20 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$4059
4 Line 40 Char		
EZMR-4L40C: 4 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485	STK	\$2399
EZMR-4L40C-E: 4 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$2498
EZMR-4L40C-D: 4 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$2498
EZMR-4L40C-P: 4 Line 40 characters, RED LED ONLY, NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$2548
EZMRH-4L40C: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485	7DAY	\$4799
EZMRH-4L40C-E: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$4999
EZMRH-4L40C-D: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$4999
EZMRH-4L40C-P: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$5099
EZMR-4L40C-OUT: 4 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$4799

LED Message Displays

Part Number	Ship	Price
EZMR-4L40C-E-OUT: 4 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$4999
EZMR-4L40C-D-OUT: 4 Line 20 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$4999
EZMR-4L40C-P-OUT: 4 Line 40 characters, RED LED ONLY, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$5099
EZMRH-4L40C-OUT: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$7199
EZMRH-4L40C-E-OUT: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$7499
EZMRH-4L40C-D-OUT: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$7499
EZMRH-4L40C-P-OUT: 4 Line 40 characters, Sunlight Readable RED LEDs (8000 Nits), NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$7659
EZMT-4L40C: 4 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485	STK	\$3299
EZMT-4L40C-E: 4 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	STK	\$3398
EZMT-4L40C-D: 4 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, DeviceNet built-in	7DAY	\$3398
EZMT-4L40C-P: 4 Line 40 characters, Tri-color LEDs, NEMA 12, Serial RS232/422/485, Profibus built-in	7DAY	\$3448
EZMT-4L40C-OUT: 4 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485	7DAY	\$6598
EZMT-4L40C-E-OUT: 4 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Ethernet Protocols (A/B Ethernet I/P, Modbus TCP/IP, Generic Ethernet TCP/IP)	7DAY	\$6799
EZMT-4L40C-D-OUT: 4 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, DeviceNet built-in	7DAY	\$6799
EZMT-4L40C-P-OUT: 4 Line 40 characters, Tri-color LEDs, NEMA 4/4X Outdoor Rated, Serial RS232/422/485, Profibus built-in	7DAY	\$6899
EZMarquee Manual, Programming Software, Cables and Accessories		
EZM-MARQUEE-M: Hardware User Manual for EZMarquees. Note: EZM-EZMarquee-M Hardware User Manual is not included with EZMarquees.	STK	\$30
EZM-GRMT: Grommets for EZMarquee Back Plate - All Models (package of 2)	STK	\$8
EZM-BKPLT: Back Plate with Gasket for EZMarquees - All Models. Does not include grommets	STK	\$10
EZM-TERM5: RS422/485 Terminal Block for EZMarquee - All Models	STK	\$4
EZM-MNTBRK1: Mounting Brackets for EZMarquees - 1L10C and 1L20C Models Only (package of 2)	STK	\$16
EZM-MNTBRK2: Mounting Brackets for EZMarquees - 2L10C and 2L20C Models Only (package of 2)	STK	\$20

EZ iMarquee (Intelligent Marquee)

EZ iMarquee 2Line 10 Character		
EZiMT-2L10C: 2 Line 10 Characters, Tri-Color LEDs, Master Marquee Message Display with Serial & Ethernet PLC Drivers	5DAY	\$999
EZ iMarquee 2Line 20 Character		
EZiMT-2L20C: 2 Line 20 Characters, Tri-Color LEDs, Master Marquee Message Display with Serial & Ethernet PLC Drivers	5DAY	\$1499
EZ iMarquee 4Line 20 Character		
EZiMT-4L20C: 4 Line 20 Characters, Tri-Color LEDs, Master Marquee Message Display with Serial & Ethernet PLC Drivers	5DAY	\$2499
EZ iMarquee 2Line 40 Character		
EZiMT-2L40C: 2 Line 40 Characters, Tri-Color LEDs, Master Marquee Message Display with Serial & Ethernet PLC Drivers	5DAY	\$2499
EZ iMarquee 4Line 40 Character		
EZiMT-4L40C: 4 Line 40 Characters, Tri-Color LEDs, Master Marquee Message Display with Serial & Ethernet PLC Drivers	5DAY	\$3999

DIN-Rail Power Supplies

Part Number	Ship	Price
EZ Power Supply		
EZ Power Supply 30W		
EZPPS-30W: 24VDC, 30W, 1.2A, 85-264 VAC Universal Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$59.99
EZ Power Supply 60W		
EZPPS-60W: 24VDC, 60W, 2.5A, 85-264 VAC Universal Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$64.99
EZ Power Supply 90W		
EZPPS-90W: 24VDC, 90W, 3.75A, 85-264 VAC Universal Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$78.99
EZ Power Supply 120W		
EZPPS-110-120W: 24VDC, 120W, 5.0A, 85-150 VAC Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$149.99
EZPPS-230-120W: 24VDC, 120W, 5.0A, 180-260 VAC Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$149.99
EZ Power Supply 240W		
EZPPS-110-240W: 24VDC, 240W, 10.0A, 85-150 VAC Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$249.99
EZPPS-230-240W: 24VDC, 240W, 10.0A, 180-260 VAC Input, 3-digit LED for Voltage or Maintenance Timer display, 2-digit LED for Current display, Programmable Current Limit, Adjustable Voltage, Din Mount, NEC Class 2 Industrial Power Supply	STK	\$249.99

Control Transformers

EZ Transformers

Group AG - 240/480 (Primary)/120/240 VAC (Secondary)		
EZ-CT0050-AG00: 50 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$34
EZ-CT0075-AG00: 75 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$36
EZ-CT0100-AG00: 100 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$42
EZ-CT0150-AG00: 150 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$52
EZ-CT0250-AG00: 250 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$67
EZ-CT0300-AG00: 300 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$72
EZ-CT0350-AG00: 350 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$78
EZ-CT0500-AG00: 500 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$98
EZ-CT0750-AG00: 750 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$130
EZ-CT1000-AG00: 1000 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$145
EZ-CT1500-AG00: 1500 VA, 1-Phase, 240/480 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$195
Group HG - 208/277/380 (Primary) / 120/240 VAC (Secondary)		
EZ-CT0050-HG00: 50 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$39
EZ-CT0075-HG00: 75 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$40
EZ-CT0100-HG00: 100 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$44
EZ-CT0150-HG00: 150 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$58
EZ-CT0250-HG00: 250 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$82
EZ-CT0350-HG00: 350 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$98
EZ-CT0500-HG00: 500 VA, 1-Phase, 208/277/380 VAC Primary, 120/240 VAC Secondary, 50/60 Hz	STK	\$127
Group KA - 120/240 (Primary) / 12/24 VAC (Secondary)		
EZ-CT0050-KA00: 50 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$34
EZ-CT0075-KA00: 75 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$35
EZ-CT0100-KA00: 100 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$39
EZ-CT0150-KA00: 150 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$53
EZ-CT0250-KA00: 250 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$67
EZ-CT0350-KA00: 350 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$78
EZ-CT0500-KA00: 500 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$99
EZ-CT0750-KA00: 750 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$133
EZ-CT1000-KA00: 1000 VA, 1-Phase, 120/240 VAC Primary, 12/24 VAC Secondary, 50/60 Hz	STK	\$149
Group JE - 240x480 (Primary) / 25x120 VAC (Secondary)		
EZ-CT0050-JE00: 50 VA, 1-Phase, 240/480 VAC Primary, 25/120 VAC Secondary, 50/60 Hz	STK	\$39
EZ-CT0100-JE00: 100 VA, 1-Phase, 240/480 VAC Primary, 25/120 VAC Secondary, 50/60 Hz	STK	\$44
EZ-CT0250-JE00: 250 VA, 1-Phase, 240/480 VAC Primary, 25/120 VAC Secondary, 50/60 Hz	STK	\$83
EZ-CT0350-JE00: 350 VA, 1-Phase, 240/480 VAC Primary, 25/120 VAC Secondary, 50/60 Hz	STK	\$99
EZ-CT0500-JE00: 500 VA, 1-Phase, 240/480 VAC Primary, 25/120 VAC Secondary, 50/60 Hz	STK	\$126
Fuse Kit Accessories		
EZCT-PF-1: Primary side Voltage Fuse Kit 50 - 250 VA, Slow blowing fuse	STK	\$6
EZCT-PF-2: Primary side Voltage Fuse Kit 300 - 500 VA, Slow blowing fuse	STK	\$8
EZCT-PF-3: Primary side Voltage Fuse Kit 750 - 1500 VA, Slow blowing fuse	STK	\$10
EZCT-SF-1: Secondary side Voltage Fuse Kit 50 - 250 VA, Slow blowing fuse	STK	\$6
EZCT-SF-2: Secondary side Voltage Fuse Kit 300 - 500 VA, Slow blowing fuse	STK	\$8
EZCT-SF-3: Secondary side Voltage Fuse Kit 750 - 1500 VA, Slow blowing fuse	STK	\$10

Time Delay Relays

Part Number	Ship	Price
EZ Timer		
EZ Timer DC Models - 12VDC		
EZ-CKK-466: Digital Cycle Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 12 VDC input power, DPDT Relay Output, 8-pin	STK	\$39.99
EZ-T1K-466: Digital ON Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 12 VDC input power, DPDT Relay Output, 8-pin octal	STK	\$39.99
EZ-T2K-466: Digital Single-Shot Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 12 VDC input power, DPDT Relay Output, 11-pin	STK	\$39.99
EZ-T3K-466: Digital OFF Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 12 VDC input power, DPDT Relay Output, 11-pin	STK	\$39.99
EZ-TM4-466: Digitally Programmable Multi-function timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 12 VDC input power, DPDT Relay Output, 11-pin	STK	\$69.99
EZ Timer DC Models - 24VDC		
EZ-CKK-462: Digital Cycle Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 24 VDC input power, DPDT Relay Output, 8-pin	STK	\$39.99
EZ-T1K-462: Digital ON Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 24 VDC input power, DPDT Relay Output, 8-pin octal	STK	\$39.99
EZ-T2K-462: Digital Single-Shot Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 24 VDC input power, DPDT Relay Output, 11-pin	STK	\$39.99
EZ-T3K-462: Digital OFF Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 24 VDC input power, DPDT Relay Output, 11-pin	STK	\$39.99
EZ-TM4-462: Digitally Programmable Multi-function timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 24 VDC input power, DPDT Relay Output, 11-pin	STK	\$69.99
EZ Timer DC Models - 120VAC		
EZ-CKK-461: Digital Cycle Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, DPDT Relay Output, 8-pin	STK	\$49.99
EZ-T1K-461: Digital ON Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, DPDT Relay Output, 8-pin octal	STK	\$49.99
EZ-T2K-441: Digital Single-Shot Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, SPDT Relay Output, 8-pin octal	STK	\$49.99
EZ-T2K-461: Digital Single-Shot Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, DPDT Relay Output, 11-pin	STK	\$49.99
EZ-T3K-441: Digital OFF Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, SPDT Relay Output, 8-pin Octal	STK	\$49.99
EZ-T3K-461: Digital OFF Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, DPDT Relay Output, 11-pin	STK	\$49.99
EZ-TM4-461: Digitally Programmable Multi-function timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 120 VAC input power, DPDT Relay Output, 11-pin	STK	\$69.99
EZ Timer DC Models - 240VAC		
EZ-CKK-465: Digital Cycle Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 240 VAC input power, DPDT Relay Output, 8-pin	STK	\$59.99
EZ-T1K-465: Digital ON Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 240 VAC input power, DPDT Relay Output, 8-pin octal	STK	\$59.99
EZ-T2K-465: Digital Single-Shot Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 240 VAC input power, DPDT Relay Output, 11-pin	STK	\$59.99
EZ-T3K-465: Digital OFF Delay Timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 240 VAC input power, DPDT Relay Output, 11-pin	STK	\$59.99
EZ-TM4-465: Digitally Programmable Multi-function timer with fully selectable timing range from 0.01s to 999 hrs, 3 digit RED LED Display, 240 VAC input power, DPDT Relay Output, 11-pin	STK	\$89.99
EZ Timer Socket Accessories		
EZ-TMRSKT-8PIN: 8-pin Timer Socket for AC/DC Models	STK	\$5
EZ-TMRSKT-11PIN: 11-pin Timer Socket for AC/DC Models	STK	\$5

Price List

Industrial Monitors

EZ Monitors

EZMonitor		
EZ-10M: 10.4" SVGA TFT Color Display	5DAY	\$999
EZ-12M: 12.1" SVGA TFT Color Display	5DAY	\$999
EZ-15M: 15" XGA TFT Color Display	5DAY	\$1,099
EZ-17M: 17" SXGA TFT Color Display	5DAY	\$1,199
EZ-10MT: 10.4" SVGA TFT Color Touchscreen Display	5DAY	\$1,099
EZ-12MT: 12.1" SVGA TFT Color Touchscreen Display	5DAY	\$1,199
EZ-15MT: 15" XGA TFT Color Touchscreen Display	5DAY	\$1,299
EZ-17MT: 17" SXGA TFT Color Touchscreen Display	5DAY	\$1,499
EZ-10MT-S: 10.4" SVGA TFT Color Touchscreen Display with Serial Port	5DAY	\$1,099
EZ-12MT-S: 12.1" SVGA TFT Color Touchscreen Display with Serial Port	5DAY	\$1,199
EZ-15MT-S: 15" XGA TFT Color Touchscreen Display with Serial Port	5DAY	\$1,299
EZ-17MT-S: 17" SXGA TFT Color Touchscreen Display with Serial Port	5DAY	\$1,499
EZMonitor Accessories		
EZ-MPS-A: Molded design power supply: Input: 110V-240VDC at 50-60Hz, Output: 12VDC, 3.3A	STK	\$39
EZ-MPS-B: Molded design power supply: Input: 110V-240VDC at 50-60Hz, Output: 12VDC, 5A	STK	\$49
EZ-MVCBL-10: 10' shielded video cable	STK	\$29
EZ-MVCBL-25: 25' shielded video cable	STK	\$49
EZ-MVCBL-50: 50' shielded video cable	STK	\$75
EZ-TERM3: 3 Point Terminal Block Adapter for Power Input	STK	\$29

Encoders

Part Number	Ship	Price
EZ25F-PRGI-30V-V-08D-M12: Size 25, Flange Mount, PRGI Optical P Output (Sinking and Sourcing Capable) 30 VDC, 8-Pin, M12	STK	\$279
EZ25F-PRGI-30V-V-08D-M12: Size 25, Flange Mount, PRGI Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 8-Pin, M12	STK	\$279
Encoder 25 Incremental Optical with 10-Pin M12 Connector		
EZ25S-PRGI-30V-V-10D-M12: Size 25, Servo Mount, PRGI Optical P Output (Sinking and Sourcing Capable) 30 VDC, 10-Pin, M12	STK	\$279
EZ25S-PRGI-30V-V-10D-M12: Size 25, Servo Mount, PRGI Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 10-Pin, M12	STK	\$279
EZ25F-PRGI-30V-V-10D-M12: Size 25, Flange Mount, PRGI Optical P Output (Sinking and Sourcing Capable) 30 VDC, 10-Pin, M12	STK	\$279
EZ25F-PRGI-30V-V-10D-M12: Size 25, Flange Mount, PRGI Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 10-Pin, M12	STK	\$279
Encoder 25 Incremental Optical with 10-Pin M16 Connector		
EZ25S-PRGI-30V-V-10D-M16: Size 25, Servo Mount, PRGI Optical P Output (Sinking and Sourcing Capable) 30 VDC, 10-Pin, M16	STK	\$289
EZ25S-PRGI-30V-V-10D-M16: Size 25, Servo Mount, PRGI Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 10-Pin, M16	STK	\$289
EZ25F-PRGI-30V-V-10D-M16: Size 25, Flange Mount, PRGI Optical P Output (Sinking and Sourcing Capable) 30 VDC, 10-Pin, M16	STK	\$289
EZ25F-PRGI-30V-V-10D-M16: Size 25, Flange Mount, PRGI Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 10-Pin, M16	STK	\$289

EZ Encoder Size 25 Absolute Resolver (Programmable)

Encoder 25 Absolute Resolver		
EZ25F-PRGA-30V-V-19D-M14: Size 25, Flange Mount, PRGA Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 19-Pin, M14	STK	\$399
EZ25F-PRGA-30V-V-19D-M14: Size 25, Flange Mount, PRGA Optical P Output (Sinking and Sourcing Capable) 30 VDC, 19-Pin, M14	STK	\$399
EZ25S-PRGA-30V-V-19D-M14: Size 25, Servo Mount, PRGA Optical TTL Output (Sinking and Sourcing Capable) 5 VDC, 19-Pin, M14	STK	\$399
EZ25S-PRGA-30V-V-19D-M14: Size 25, Servo Mount, PRGA Optical P Output (Sinking and Sourcing Capable) 30 VDC, 19-Pin, M14	STK	\$399

Encoder Accessories

Encoder Accessories		
CBL-10PIN-M12-005: 10 Pin, M12 Connector with 5ft shielded cable	STK	\$65
CBL-10PIN-M12-020: 10 Pin, M12 Connector with 20ft shielded cable	STK	\$125
CBL-10PIN-M12-050: 10 Pin, M12 Connector with 50ft shielded cable	STK	\$245
CBL-9PIN-SUBD-005: 9 Pin, D-SUB Connector with 5ft shielded cable	STK	\$35
CBL-9PIN-SUBD-020: 9 Pin, D-SUB Connector with 20ft shielded cable	STK	\$95
CBL-9PIN-SUBD-050: 9 Pin, D-SUB Connector with 50ft shielded cable	STK	\$215
CBL-10PIN-M12-002: 10 Pin, M12 Connector with 2ft shielded cable	STK	\$65
CBL-10PIN-M12-100: 10 Pin, M12 Connector with 100ft shielded cable	STK	\$445
CBL-5PIN-M12-002: 5 Pin, M12 Connector with 2ft shielded cable	STK	\$40
CBL-5PIN-M12-005: 5 Pin, M12 Connector with 5ft shielded cable	STK	\$40
CBL-5PIN-M12-020: 5 Pin, M12 Connector with 20ft shielded cable	STK	\$85
CBL-5PIN-M12-050: 5 Pin, M12 Connector with 50ft shielded cable	STK	\$175
CBL-5PIN-M12-100: 5 Pin, M12 Connector with 100ft shielded cable	STK	\$325
CBL-7PIN-M16-002: 7 Pin, M16 Connector with 2ft shielded cable	STK	\$50
CBL-7PIN-M16-005: 7 Pin, M16 Connector with 5ft shielded cable	STK	\$50
CBL-7PIN-M16-020: 7 Pin, M16 Connector with 20ft shielded cable	STK	\$95
CBL-7PIN-M16-050: 7 Pin, M16 Connector with 50ft shielded cable	STK	\$185
CBL-7PIN-M16-100: 7 Pin, M16 Connector with 100ft shielded cable	STK	\$335
CBL-8PIN-M12-002: 8 Pin, M12 Connector with 2ft shielded cable	STK	\$60
CBL-8PIN-M12-005: 8 Pin, M12 Connector with 5ft shielded cable	STK	\$60
CBL-8PIN-M12-020: 8 Pin, M12 Connector with 20ft shielded cable	STK	\$120
CBL-8PIN-M12-050: 8 Pin, M12 Connector with 50ft shielded cable	STK	\$240
CBL-8PIN-M12-100: 8 Pin, M12 Connector with 100ft shielded cable	STK	\$440

EZ Soft HMI

PC HMI Runtime License for Windows OS		
EZ-SOFTHMI: Runtime License HMI for PC, Unlimited Tags and Screens	STK	\$495
EZ-SOFTHMI-S5: 5 User Network Runtime License HMI for 5 PCs, Unlimited Tags and Screens	STK	\$1995

EZ RMC

Remote Monitor and Control		
EZ-SOFT-REMOTE: Remote Monitor and Control Software for EZTouch and EZTouch I/O Products.	STK	\$99
EZ-SOFT-REMOTE-DN: Remote Monitor and Control Software for EZTouch and EZTouch I/O Products. Download Link	STK	\$99
EZ-RMC: Mobile App for Remote Monitoring and Control of EZTouch and EZTouch I/O Products. Download on Apple Store	STK	\$5
EZ-RMC: Mobile App for Remote Monitoring and Control of EZTouch and EZTouch I/O Products. Download on Google Play	STK	\$5

EZ PlantView

Plant View		
EZ-SOFT-PLANT: SCADA like, Remote Monitor and Control of Multiple EZTouch and EZTouch I/O Products	STK	\$299

Wireless WiFi Adapter

EZ WiFi Module		
EZ-WIFI: Wifi Module with Standard 9-pin DB9 connector for use with EZTouch, EZTouch I/O, EZPLC, EZLogix.	STK	\$99
EZ-WIFI-MQ: Wifi Module with Standard 9-pin DB9 connector for use with EZMarquee. Includes 3-wire pig-tail cable (EZ-CBL-WIFI)	STK	\$109
EZ-CBL-WIFI: Wifi 3-wire pig-tail cable for EZMarquee	STK	\$10